ELSEVIER

Hearing Research 118 (1998) 179

HEARING RESEARCH

Author Index Volume 118

Ahroon, W.A., see Hamernik, R.P. (118) 73

Bennett, J.A., see Hamernik, R.P. (118) 73
Bobbin, R.P., see Chen, C. (118) 47
Braun, M.,
Accurate binaural mirroring of spontaneous otoacoustic emissions suggests influence of time-locking in medial efferents (118) 129

Chen, C., Skellett, R.A., Fallon, M. and Bobbin, R.P.
Additional pharmacological evidence that endogenous ATP modulates cochlear mechanics (118) 47
Cohn, E.S., see Wangemann, P. (118) 90
Cottet-Emard, J.-M., see Cransac, H. (118) 151
Cransac, H., Cottet-Emard, J.-M., Hellström, S. and Peyrin, L.
Specific sound-induced noradrenergic and serotonergic activation in central auditory structures (118) 151
Crouch, J.J., see Sakaguchi, N. (118) 114

Decraemer, W.F., see Dirckx, J.J.J. (118) 35
Dirckx, J.J.J., Decraemer, W.F., von Unge, M. and Larsson, C.
Volume displacement of the gerbil eardrum pars flaccida as a function of middle ear pressure (118) 35

Fallon, M., see Chen, C. (118) 47
Fessenden, J.D., and Schacht, J.
The nitric oxide/cyclic GMP pathway: A potential major regulator of cochlear physiology (118) 168
Furness, D.N., see Quint, E. (118) 157

Gao, W., Wiederhold, M.L. and Harrison, J.L.
Development of the endolymphatic sac and duct in the Japanese red-bellied newt, *Cynops pyrrhogaster* (118) 62
Gratton, M.A., see Wangemann, P. (118) 90
Gruber, D.D., see Wangemann, P. (118) 90

Hackney, C.M., see Quint, E. (118) 157
Hamernik, R.P., Ahroon, W.A., Jock, B.M. and Bennett, J.A.
Noise-induced threshold shift dynamics measured with distortion-product otoacoustic emissions and auditory evoked potentials in chinchillas with inner hair cell deficient cochleas (118) 73
Harrison, J.L., see Gao, W. (118) 62
Hartung, K., see Keller, C.H. (118) 13
Hellström, S., see Cransac, H. (118) 151
Hoshino, T., see Iwasaki, S. (118) 83

Iwasaki, S., Mizuta, K. and Hoshino, T.
Tone burst-evoked otoacoustic emissions in cats with acoustic overstimulation and anoxia (118) 83

Jock, B.M., see Hamernik, R.P. (118) 73

Kanonier, G., see Scholtz, A.W. (118) 123
Keller, C.H., Hartung, K. and Takahashi, T.T.
Head-related transfer functions of the barn owl: measurement and neural responses (118) 13

Larsson, C., see Dirckx, J.J.J. (118) 35
Leek, M.R., see Summers, V. (118) 139
Lytle, C., see Sakaguchi, N. (118) 114

Mizuta, K., see Iwasaki, S. (118) 83

Peyrin, L., see Cransac, H. (118) 151

Quint, E., Furness, D.N. and Hackney, C.M.
The effect of explantation and neomycin on hair cells and supporting cells in organotypic cultures of the adult guinea-pig utricle (118) 157

Sakaguchi, N., Crouch, J.J., Lytle, C. and Schulte, B.A.
Na-K-Cl cotransporter expression in the developing and senescent gerbil cochlea (118) 114
Schacht, J., see Fessenden, J.D. (118) 168
Scholtz, A.W., Kanonier, G. and Schrott-Fischer, A.
Immunohistochemical investigation of enkephalins in the human inner ear (118) 123
Schrott-Fischer, A., see Scholtz, A.W. (118) 123
Schulte, B.A., see Sakaguchi, N. (118) 114
Schulte, B.A., see Spicer, S.S. (118) 1
Skellett, R.A., see Chen, C. (118) 47
Spicer, S.S., and Schulte, B.A.
Evidence for a medial K^+ recycling pathway from inner hair cells (118) 1
Summers, V., and Leek, M.R.
Masking of tones and speech by Schroeder-phase harmonic complexes in normally hearing and hearing-impaired listeners (118) 139

Takahashi, T.T., see Keller, C.H. (118) 13
Turner, J.G., and Willott, J.F.
Exposure to an augmented acoustic environment alters auditory function in hearing-impaired DBA/2J mice (118) 101

von Unge, M., see Dirckx, J.J.J. (118) 35

Wangemann, P., Cohn, E.S., Gruber, D.D. and Gratton, M.A.
Ca^{2+}-dependence and nifedipine-sensitivity of vascular tone and contractility in the isolated superfused spiral modiolar artery in vitro (118) 90
Wiederhold, M.L., see Gao, W. (118) 62
Willott, J.F., see Turner, J.G. (118) 101

ELSEVIER

Hearing Research 118 (1998) 180–182

HEARING RESEARCH

Subject Index Volume 118

Acoustic overstimulation
Transient evoked otoacoustic emission; Anoxia; Scanning electron microscope; Cat (Iwasaki, S. (118) 83)

Acoustic stimulation
Noradrenaline; Serotonin; Cochlear nucleus; Inferior colliculus; Auditory cortex; Raphe nuclei; Locus coeruleus (Cransac, H. (118) 151)

Active mechanism
Schroeder-phase masking; Basilar membrane; Hearing impairment; Outer hair cell; Cochlea; Cochlear nonlinearity (Summers, V. (118) 1)

Aging
Ion transport; Immunohistochemistry; Cochlea; Gerbil; Limbus; Interdental cell (Spicer, S.S. (118) 1)

Development; Inner ear; Ion transport; Stria vascularis (Sakaguchi, N. (118) 114)

Aminoglycoside
Hair cell; Inner ear; Ototoxicity; Regeneration (Quint, E. (118) 157)

Anoxia
Transient evoked otoacoustic emission; Acoustic overstimulation; Scanning electron microscope; Cat (Iwasaki, S. (118) 83)

Auditory
Binaural; Ear; Inferior colliculus; Sound localization; Virtual reality (Keller, C.H. (118) 13)

Plasticity; Sensorineural hearing loss; Startle reflex; Development (Turner, J.G. (118) 101)

Auditory cortex
Acoustic stimulation; Noradrenaline; Serotonin; Cochlear nucleus; Inferior colliculus; Raphe nuclei; Locus coeruleus (Cransac, H. (118) 151)

Basilar membrane
Schroeder-phase masking; Active mechanism; Hearing impairment; Outer hair cell; Cochlea; Cochlear nonlinearity (Summers, V. (118) 1)

Binaural
Auditory; Ear; Inferior colliculus; Sound localization; Virtual reality (Keller, C.H. (118) 13)

Blood flow
Nitric oxide synthase; Soluble guanylate cyclase; Protein kinase; Homeostasis; Excitotoxicity (Fessenden, J.D. (118) 168)

Calcium antagonist
Cochlear blood flow; Microvasculature (Wangemann, P. (118) 90)

Carboplatin
Otoacoustic emission; Threshold shift dynamics; Noise effect (Hamernik, R.P. (118) 73)

Cat
Transient evoked otoacoustic emission; Acoustic overstimulation; Anoxia; Scanning electron microscope (Iwasaki, S. (118) 83)

Cochlea
Ion transport; Immunohistochemistry; Aging; Gerbil; Limbus; Interdental cell (Spicer, S.S. (118) 1)

Immunohistochemistry; Enkephalin; Vestibular endorgan; Human (Scholtz, A.W. (118) 123)

Schroeder-phase masking; Active mechanism; Basilar membrane; Hearing impairment; Outer hair cell; Cochlear nonlinearity (Summers, V. (118) 1)

Calcium antagonist; Microvasculature (Wangemann, P. (118) 90)

Cochlear nonlinearity
Schroeder-phase masking; Active mechanism; Basilar membrane; Hearing impairment; Outer hair cell; Cochlea (Summers, V. (118) 1)

Cochlear nucleus
Acoustic stimulation; Noradrenaline; Serotonin; Inferior colliculus; Auditory cortex; Raphe nuclei; Locus coeruleus (Cransac, H. (118) 151)

Deiters' cell
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Ion channel; Otoacoustic emission; Pillar cell; Outer hair cell; Hensen's cell (Chen, C. (118) 47)

Development
Endolymphatic sac and duct; Otoconia; Intercellular space (Gao, W. (118) 62)

Aging; Inner ear; Ion transport; Stria vascularis (Sakaguchi, N. (118) 114)

Plasticity; Sensorineural hearing loss; Startle reflex; Auditory brainstem response (Turner, J.G. (118) 101)

Ear
Auditory; Binaural; Inferior colliculus; Sound localization; Virtual reality (Keller, C.H. (118) 13)

Electromotility
Spontaneous otoacoustic emission; Twin studies; Olivocochlear efferent; Neural phase-coupling; Outer hair cell (Braun, M. (118) 129)

Endolymphatic sac and duct
Development; Otoconia; Intercellular space (Gao, W. (118) 62)

Enkephalin
Immunohistochemistry; Cochlea; Vestibular endorgan; Human (Scholtz, A.W. (118) 123)

Excitotoxicity
Nitric oxide synthase; Soluble guanylate cyclase; Protein kinase; Blood flow; Homeostasis (Fessenden, J.D. (118) 168)

Gerbil
Ion transport; Immunohistochemistry; Cochlea; Aging; Limbus; Interdental cell (Spicer, S.S. (118) 1)

Hair cell
Inner ear; Aminoglycoside; Ototoxicity; Regeneration (Quint, E. (118) 157)

Hearing impairment
Schroeder-phase masking; Active mechanism; Basilar membrane; Outer hair cell; Cochlea; Cochlear nonlinearity (Summers, V. (118) 1)

Hensen's cell
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Ion channel; Otoacoustic emission; Deiters' cell; Pillar cell; Outer hair cell (Chen, C. (118) 47)

Homeostasis
Nitric oxide synthase; Soluble guanylate cyclase; Protein kinase; Blood flow; Excitotoxicity (Fessenden, J.D. (118) 168)

Human
Immunohistochemistry; Enkephalin; Cochlea; Vestibular endorgan (Scholtz, A.W. (118) 123)

Immunohistochemistry
Ion transport; Cochlea; Aging; Gerbil; Limbus; Interdental cell (Spicer, S.S. (118) 1)

Enkephalin; Cochlea; Vestibular endorgan; Human (Scholtz, A.W. (118) 123)

Inferior colliculus
Auditory; Binaural; Ear; Sound localization; Virtual reality (Keller, C.H. (118) 13)

Acoustic stimulation; Noradrenaline; Serotonin; Cochlear nucleus; Auditory cortex; Raphe nuclei; Locus coeruleus (Cransac, H. (118) 151)

Inner ear
Aging; Development; Ion transport; Stria vascularis (Sakaguchi, N. (118) 114)

Hair cell; Aminoglycoside; Ototoxicity; Regeneration (Quint, E. (118) 157)

Intercellular space
Endolymphatic sac and duct; Development; Otoconia (Gao, W. (118) 62)

Interdental cell
Ion transport; Immunohistochemistry; Cochlea; Aging; Gerbil; Limbus (Spicer, S.S. (118) 1)

Ion channel
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Otoacoustic emission; Deiters' cell; Pillar cell; Outer hair cell; Hensen's cell (Chen, C. (118) 47)

Ion transport
Immunohistochemistry; Cochlea; Aging; Gerbil; Limbus; Interdental cell (Spicer, S.S. (118) 1)

Aging; Development; Inner ear; Stria vascularis (Sakaguchi, N. (118) 114)

Limbus
Ion transport; Immunohistochemistry; Cochlea; Aging; Gerbil; Interdental cell (Spicer, S.S. (118) 1)

Locus coeruleus
Acoustic stimulation; Noradrenaline; Serotonin; Cochlear nucleus; Inferior colliculus; Auditory cortex; Raphe nuclei (Cransac, H. (118) 151)

Microvasculature
Cochlear blood flow; Calcium antagonist (Wangemann, P. (118) 90)

Middle ear
Tympanic membrane; Pressure; Pars flaccida; Tympanometry (Dirckx, J.J.J. (118) 35)

Neural phase-coupling
Spontaneous otoacoustic emission; Twin studies; Olivocochlear efferent; Outer hair cell; Electromotility (Braun, M. (118) 129)

Nitric oxide synthase
Soluble guanylate cyclase; Protein kinase; Blood flow; Homeostasis; Excitotoxicity (Fessenden, J.D. (118) 168)

Noise effect
Carboplatin; Otoacoustic emission; Threshold shift dynamics (Hamernik, R.P. (118) 73)

Noradrenaline
Acoustic stimulation; Serotonin; Cochlear nucleus; Inferior colliculus; Auditory cortex; Raphe nuclei; Locus coeruleus (Cransac, H. (118) 151)

Olivocochlear efferent
Spontaneous otoacoustic emission; Twin studies; Neural phase-coupling; Outer hair cell; Electromotility (Braun, M. (118) 129)

Otoacoustic emission
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Ion channel; Deiters' cell; Pillar cell; Outer hair cell; Hensen's cell (Chen, C. (118) 47)

Carboplatin; Threshold shift dynamics; Noise effect (Hamernik, R.P. (118) 73)

Otoconia
Endolymphatic sac and duct; Development; Intercellular space (Gao, W. (118) 62)

Ototoxicity
Hair cell; Inner ear; Aminoglycoside; Regeneration (Quint, E. (118) 157)

Outer hair cell
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Ion channel; Otoacoustic emission; Deiters' cell; Pillar cell; Hensen's cell (Chen, C. (118) 47)

Spontaneous otoacoustic emission; Twin studies; Olivocochlear efferent; Neural phase-coupling; Electromotility (Braun, M. (118) 129)

Schroeder-phase masking; Active mechanism; Basilar membrane; Hearing impairment; Cochlea; Cochlear nonlinearity (Summers, V. (118) 1)

Pars flaccida
Middle ear; Tympanic membrane; Pressure; Tympanometry (Dirckx, J.J.J. (118) 35)

Pillar cell
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Ion channel; Otoacoustic emission; Deiters' cell; Outer hair cell; Hensen's cell (Chen, C. (118) 47)

Plasticity
Sensorineural hearing loss; Startle reflex; Auditory brainstem response; Development (Turner, J.G. (118) 101)

Pressure
Middle ear; Tympanic membrane; Pars flaccida; Tympanometry (Dirckx, J.J.J. (118) 35)

Protein kinase
Nitric oxide synthase; Soluble guanylate cyclase; Blood flow; Homeostasis; Excitotoxicity (Fessenden, J.D. (118) 168)

Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid
Ion channel; Otoacoustic emission; Deiters' cell; Pillar cell; Outer hair cell; Hensen's cell (Chen, C. (118) 47)

Raphe nuclei
Acoustic stimulation; Noradrenaline; Serotonin; Cochlear nucleus; Inferior colliculus; Auditory cortex; Locus coeruleus (Cransac, H. (118) 151)

Regeneration
Hair cell; Inner ear; Aminoglycoside; Ototoxicity (Quint, E. (118) 157)

Scanning electron microscope
Transient evoked otoacoustic emission; Acoustic overstimulation; Anoxia; Cat (Iwasaki, S. (118) 83)

Schroeder-phase masking
Active mechanism; Basilar membrane; Hearing impairment; Outer hair cell; Cochlea; Cochlear nonlinearity (Summers, V. (118) 1)

Sensorineural hearing loss
Plasticity; Startle reflex; Auditory brainstem response; Development (Turner, J.G. (118) 101)

Serotonin
Acoustic stimulation; Noradrenaline; Cochlear nucleus; Inferior colliculus; Auditory cortex; Raphe nuclei; Locus coeruleus (Cransac, H. (118) 151)

Soluble guanylate cyclase
Nitric oxide synthase; Protein kinase; Blood flow; Homeostasis; Excitotoxicity (Fessenden, J.D. (118) 168)

Sound localization
Auditory; Binaural; Ear; Inferior colliculus; Virtual reality (Keller, C.H. (118) 13)

Spontaneous otoacoustic emission
Twin studies; Olivocochlear efferent; Neural phase-coupling; Outer hair cell; Electromotility (Braun, M. (118) 129)

Startle reflex
Plasticity; Sensorineural hearing loss; Auditory brainstem response; Development (Turner, J.G. (118) 101)

Stria vascularis
Aging; Development; Inner ear; Ion transport (Sakaguchi, N. (118) 114)

Threshold shift dynamics
Carboplatin; Otoacoustic emission; Noise effect (Hamernik, R.P. (118) 73)

Transient evoked otoacoustic emission
Acoustic overstimulation; Anoxia; Scanning electron microscope; Cat (Iwasaki, S. (118) 83)

Twin studies
Spontaneous otoacoustic emission; Olivocochlear efferent; Neural phase-coupling; Outer hair cell; Electromotility (Braun, M. (118) 129)

Tympanic membrane
Middle ear; Pressure; Pars flaccida; Tympanometry (Dirckx, J.J.J. (118) 35)

Tympanometry
Middle ear; Tympanic membrane; Pressure; Pars flaccida (Dirckx, J.J.J. (118) 35)

Vestibular endorgan
Immunohistochemistry; Enkephalin; Cochlea; Human (Scholtz, A.W. (118) 123)

Virtual reality
Auditory; Binaural; Ear; Inferior colliculus; Sound localization (Keller, C.H. (118) 13)